

Christmas Tree Lighting

Well proven and hugely successful, the LED Mini Light range is perfect for intensely brilliant seasonal and non seasonal tree display lighting.

Each LED is encased in a silicon gel with a PVC membrane making them weather and damage resistant. The cable is white or black rubber sheathed and the product conforms to the latest EN standards. Colours available are; White, Red, Green, Blue, Warm White and Yellow.

Each string has 100 LED Mini Lights (if one lamp fails the others remain lit) at 10cm spacing and are inter-connectible so strings can be extended.















LED.FLR.24.MC

LED.FLR.24.G

LED.FLR.24.WW

Height(ft)

Tree

10 15

20

25

30



LED.FLR.24.P

Number of
Mini LED Lights
1000 (10 x 100 String)
1500 (15 x 100 String)
2000 (20 x 100 String)
3000 (30 x 100 String)
4000 (40 x 100 String)
5000 (50 x 100 String)

Transformer

1 x RTR.LED.100 1 x RTR.LED.150 1 x RTR.LED.240 2 x RTR.LED.150 2 x RTR.LED.240 2 x RTR.LED.240

For maximum effect then increase above qty's by at least 50%

For full stocklist details and any sales enquiries please contact Cheryl Barnes on: Email, Cheryl@lite-ltd.co.uk or call 01282 448086 Quote early bird discount code "PC25" for 10% off your order

LED RGB Mini Lights

Available in 230v and 24v.

230v is Inter-connectible from one power source up to 60 strings on one controller.

24v is Inter-connectible from one power source up to 30 strings on one controller using splitter leads. A large range of multi-colour shows pre-programmed.

Cable colour is black.

Great for use with cone trees, Christmas trees, deciduous trees, and even as a ceiling of light for the extra sparkle.

Having exceptional low energy consumption and minimal maintenance this product is the ideal long-term professional solution to effective illumination.

Tree	Number of
Height(ft)	Mini LED Lights
10	1000 (10 x 100 String)
15	1500 (15 x 100 String)
20	2000 (20 x 100 String)
25	3000 (30 x 100 String)
30	4000 (40 x 100 String)
40	5000 (50 x 100 String)

For maximum effect then increase above qty's by at least 50%

For full stocklist details and any sales enquiries please contact Cheryl Barnes on: Email, Cheryl@lite-ltd.co.uk or call 01282 448086 Quote early bird discount code "PC25"

for 10% off your order





LED Icicle Lights

LED icicles. Led lamps on 5m or 2m long black or white rubber cables.

The drop is 500mm or 700mm.

Inter-connectible from one power source.

Available in White, Warm White, Blue or multi-coloured.

All can be done with cool white flash.

Great for use with cross streets, along canopies, around buildings, and even as a ceiling of light for the extra sparkle. Having exceptional low energy consumption and minimal maintenance this product is the ideal long-term professional solution to effective illumination.



Plug in Stars Accessories

For extra wow factor there are plug in 500mm diameter cool white or warm white LED rope light stars and snowflakes available.

These are easily connected to any of these icicle sets by the use of a simple T Bar connector.

RLST50WW - 50cm warm white plug-in Star on white cable **RLST50CW** - 50cm cool white plug-in Star on white cable







Snowfall Cracker LED Lights

Light chain with asynchronous speed of descents. Each descent is managed by a timed controller, independent by other descents.

The light fall effect is unique and exclusive.

LED Falling Light. 24V 30L LED light chain, ice white LED with chasing effect, 50cm length; black rubber cable, without end connector, with controller and T bar connector, 230V.

Inter-connectible from one power source.

Having exceptional low energy consumption and minimal maintenance this product is the ideal long-term professional solution to effective illumination.

Model Number LED.CRACKER.CW Description LED cracker light 230v cool white 50cm with controller and T Bar





Column Displays - New Stock All displays available in any ropelight

or miniLED colour combination



Static Stars











0.95m x 2.20m

LD23004/S 0.80m x 2.30m 66w

Static Fanfare LD23002/S 0.80m x 2.30m 86w

18323 0.95m x 2.20m 0.70m x 1.50m

Star Coil 22183 0.68m x 2.20m 36W

Ribbon Sail 22247 2.3m x 0.7m

Star Turn LD11ST 0.77m x 2.00m 9.5kg 24w



Static Banner LD23003/S 0.80m x 2.30m 88w




Shooting Banner LD23003 0.80m x 2.30m 88w



Majestic Blossom 18336 0.75m x 2.20m 7kg 21w



Snow Torch 22256 0.75m x 2.20m 33w



Snow Wave LD17SW.WW 0.60m x 2.30m 0.40m x 1.50m



Snow Sail LD20001 1.20m x 2.00m



Aura 15148 0.90m x 2.10m 0.65m x 1.50m



Moving Fountain 22179 0.60m x 2.00m 32w



Star Torch LD13ST 0.62m x 2.3m 7kg 18w



SnowFlake Sail 22237 0.95m x 2.30m 39w



Dancing Balls LD19040 1.00m x 2.20m



Regal Iris LD17RI.WW.1.5 0.40m x 1.50m 0.75m x 2.25m 5.5kg 15w



Fountain 12739 5.5kg 18w



Dallas Scroll LD17DS 0.60m x 2.30m 9kg 24w

Refurbished Column Displays Kinder on the Planet

Pre-Loved Displays



121431.TW 0.80m x 2.30m Twinkly Pro 6-port



LD17A 0.6m x 2.30m



LD17SW 0.60m x 2.30m



3546.WW 0.8m x 2.50m



3546.RE 0.8m x 2.50m



3546.BL 0.8m x 2.50m



12739 0.75m x 2.25m



LD18SW 0.66m x 2.35m



Half Tree 1.88m x 0.52m



EWE-02-14-009 1m x 1m



15253 1.50m



Star Delight (3D) 14272 1.30m x 4.20m

EWN-01-14-017 1.20m x 1.20m

For full stocklist details and any sales enquiries, please contact Cheryl Barnes on: Email, Cheryl@lite-ltd.co.uk or call 01282 448086 Quote early bird discount code "PC25" for 10% off your order



What is MaxiLED Lighting?

Engineered and manufactured by LITE Ltd in the UK since 2007 to be a permanent solution to lighting trees and seafronts all year round, with a specifically designed LED package.

IP68 waterproof and a full 5 year warranty - this is the perfect solution.







- 5 year warranty
- · Designed for 365 days a year use
- · IP68 Waterproof
- · High brightness LED
- Pre-manufactured festoon to your exact specification
- · Pre-assembled in the factory so no fitting lamps on site
- Designed to allow easy & quick LED changes without affecting the IP68 integrity
- 1.5 sq mm Rubber cable to withstand harsh winds
- · Self expanding cable ties available to allow tree growth
- · Low voltage and Low energy 24v 0.6w per fitting

Head office:



Lighting and Illumination Technology Experience Unit 2, Farrington Place, Rossendale Road Industrial Estate, Burnley, Lancashire. England, UK. BB11 5TY